



# Planar PLL2210MW - White

## **22" LCD Monitor**

The Planar® PLL2210MW-WH is a 22", slim, widescreen monitor that delivers superb Full HD image performance at a great price point for any home or office. It incorporates blue light reduction presets, enhancing visual comfort when viewing for extended periods. Its LED backlight technology reduces energy consumption and it features an external power supply and VESA compatibility making it especially suited for hospital or medical offices and medical carts.



Specification:

Detail:

---

**Product Name**

PLL2210MW-WH

**Planar Part Number**

997-6404-00

**Viewable Size**

21.5" diagonal (18.77" horizontal x 10.56" vertical)

Specification:

Detail:

---

<b>Aspect Ratio</b>	16:9
<b>Contrast Ratio (typ)</b>	1000:1
<b>Viewing Angle (typ)</b>	170° Horizontal and 160° Vertical (Specified at CR>10:1)
<b>Response Time (typ)</b>	5 ms
<b>Brightness (Typical)</b>	250 cd/m <sup>2</sup>
<b>Display Type</b>	Edge Lit LED LCD
<b>Display Resolution</b>	1920 x 1080, full HD
<b>Tilt Range</b>	-0° to +20°
<b>Palette</b>	16.7 million colors
<b>Pixel Pitch</b>	0.24825
<b>Refresh Rate</b>	56~75 Hz (60 Hz recommended)
<b>Dimensions (W x H x D)</b>	19.94" x 15.35" x 7.0" (506.5 mm x 389.9 mm x 177.8 mm)
<b>Dimensions without Stand</b>	19.94" x 12.64" x 1.91" (506.5 mm x 321.1 mm x 48.5 mm)
<b>Panel Depth</b>	1.91" (48.5 mm)
<b>Display Weight</b>	7 lb (3.2 kg)
<b>Shipping weight</b>	9 lb (4.1 kg)
<b>Video Inputs</b>	Analog and Digital (DVI-D w/HDCP)

Discontinued

Specification:

Detail:

**HDCP**

Yes

**External Connections**

1 - DVI 24-pin connector; 1 - VGA D-sub 15-pin video connector; 1 - 1/8 inch audio jack

**Audio Output**

Integrated TrueMedia™ speakers, 1W/channel, Headset jack

**Compatibility**

PC and Mac® (adapter may be required for Mac)

**Power Supply**

External (DC power)

**Power Consumption (max)**

25W Typical (0.5W standby)

**Power Requirements**

AC 100/240 VAC

**Operating Temperature**

0° to +40°C (32° to 104°F)

**Humidity**

10 - 90% RH (non-condensing)

**Mount**

Built-in 100mm VESA, monitor back

**Product Approvals**

UL/cUL, FCC-B, RoHS

**Recommended Usage**

Up to 16 hours per day

**Service and Support**

3-Year Customer First™ Warranty featuring FREE Advance Replacement (US only). Please see the warranty document for more details and for replacement procedures outside the US.

**Options / Features**

Anti-glare coating, Multi-language display, On screen display (OSD), Kensington® Security Slot

Discontinued

Specification:

Detail:

---

**Blue Light  
Reduction**

Yes

**In the Box**

PLL2210MW 22" LCD Monitor, 12V DC AC Adaptor, Power Cord, VGA Cable,  
DVI Cable, Audio Cable, User's Guide

**UPC**

8 10689 06404 6

Copyright © 2025 All rights reserved.

# Discontinued