

Planar PXN2490MW

24" LCD Monitor

The Planar[®] PXN2490MW is a QHD 24" desktop monitor that features IPS LED backlight technology, a nearly borderless design, wide viewing angles, external power supply, speakers and inputs for DisplayPort, HDMI[®] and DVI. The Planar PXN2490MW fits seamlessly into home, office, healthcare and digital signage environments.



Specification:	Detail:
Product Name	PXN2490MW
Planar Part Number	998-0661-00
Viewable Size	23.8" diagonal (20.75" horizontal x 11.67" vertical)

Specification:	Detail:
Aspect Ratio	16:9
Contrast Ratio (typ)	1000:1
Viewing Angle (typ)	178° Horizontal and 178° Vertical (Specified at CR>10:1)
Response Time (typ)	6 ms (GTG)
Brightness (Typical)	S continued
Display Type	IPS LCD Active Matrix Flat Panel Display (TFT)
Display Resolution	2560 x 1440, QHD
Tilt Range	-5° to + 15°
Palette	16.7 million colors
Pixel Pitch	0.2058 mm
Refresh Rate	48~76 Hz (60 Hz recommended)
Dimensions (W x H x D)	21.3" x 15.2" x 7.9" (539.8 mm x 385.6 mm x 199.6 mm)
Dimensions without Stand	21.3" x 12.8" x 1.5" (539.8 mm x 324.3 mm x 39.2 mm)
Panel Depth	1.5" (39.2 mm)
Display Weight	8 lb (3.6 kg); Weight without stand: 7.1 lb (3.2 kg)

Specification:	Detail:
Shipping weight	12 lb (5.2 kg)
Video Inputs	HDMI®, DisplayPort, DVI-Dual Link
HDCP	Yes
Audio Output	1W x 2
External Connections	HDMI 19-pin, DisplayPort 20-pin, DVI 24-pin, 3.5 mm audio in.
Compatibility	PC and Mac® (adapter may be required for Mac)
Power Supply	External (DC power)
Power Consumption (max)	22 Watt Typical (<0.5 Watt standby)
Power Requirements	AC 100/240 VAC
Operating Temperature	5° to +40°C (41° to 104°F)
Humidity	10 - 90% RH (non-condensing)
Mount	Built-in 100 mm VESA, back
Product Approvals	FCC-B, CE, UL/cUL, RoHS
Recommended Usage	Up to 16 hours per day
Service and Support	3-Year Customer First™ Warranty featuring FREE Advance Replacement (US only). Please see the warranty document for more details and for replacement procedures outside the US.

Specification:	Detail:
<i>Options / Features</i>	IPS Wide color consistent viewing angle, Nearly Borderless bezel, Discreet branding, Anti-glare coating, Multi-language display, On screen display (OSD), Kensington® Security Slot
Blue Light Reduction	Yes
Flicker Free	Yes
In the Box	PXN2490MW 23.8" LED LCD Monitor, 12V DC AC Adapter, Power Cord, DisplayPort Cable, HDMI Cable, User's Guide
UPC	8 10689 00635 0
ндмі®	Planar utilizes HDMI® standards in this product. The terms HDMI, HDMI High- Definition Multimedia Interface, HDMI Trade dress and the HDMI Logos are trademarks of registered trademarks of HDNI freensing Administrator, Inc.

Copyright © 2025 All rights reserved.